

國立臺北護理學院九十八學年度碩士班招生

健康事業管理系碩士班

暨

旅遊健康所(選考)

統計學試題

注 意	1. 本試題共有 3 頁(含附表)。 2. 本學科考試可以攜帶計算機。 3. 第 1~5 題為選擇題，第 6~10 題為計算題，需 寫出相關計算過程，並請標明題號依序寫在 答案卷上。
-----	---

- Given the following set of data: 4, 9, 7, 7, 3, 6, the mean, median, and mode are _____, respectively: (10%)
(A) 6, 6.5, 7
(B) 6, 7, 7
(C) 6, 6, 7
(D) 6, 6, 9
(E) None of the above
- If all the values in a set of data are the same, the mean, the median and the third quantile (Q3) will be (10%)
(A) different
(B) zero
(C) equal
(D) variable
(E) cannot be determined without actual data
- A pair of dice are thrown. If it is known that one die shows a 4, what is the probability that the other die shows a 6? (10%)
(A) 1/2
(B) 1/3
(C) 1/4
(D) 1/5
(E) 1/6

- The parameters of a normal probability distribution specify: (1) the variability of the distribution; (2) the skewness of the distribution; (3) the location of the center of the distribution. (10%)
(A) (1) only
(B) (1) and (2) only
(C) (1) and (3) only
(D) (2) and (3) only
(E) (1), (2) and (3)
- Which of the following statements is/are true? (10%)
(1) When the population follows a normal distribution, $\bar{X}$ follows a normal distribution, too.
(2) When the population follows a binomial distribution, $\bar{X}$ follows a normal distribution, too, if the sample size is large enough.
(3) When the population follows a binomial distribution, $\bar{X}$ not necessarily follows a normal distribution, if the sample size is large enough.
(A) (1)
(B) (2)
(C) (3)
(D) (1)(2)
(E) (1)(2)(3)
- The scores of Statistics of one undergraduate class are normally distributed. The distribution is divided into three portions, 15% of the students scores are below 60, and 20% are above 80. Please try to calculate the mean and the standard deviation of this class. (10%)
- If the size of a sample is 36 and the standard error of the mean is 2, if now we need to reduce the standard error of the mean to 1.2, how many sample size will we need? (10%)
- Let $\bar{X}$ denote the mean of a random sample of size 100 from a distribution that has the variance $\sigma^2=400$
(1) Using Central Limit Theorem to approximate 95% confidence interval for the mean. (5%)
(2) What is the approximate 95% confidence interval for the mean if $\bar{X}=67.53$. (5%)
- A professor wants to know if the IQ score of his class (50 students) is different from the normal students. So he conducted a standardized IQ testing, and the average IQ score of his class is 109. According to the norm score of this aged students, the mean norm score (μ) is 113, the norm standard deviation (σ) is 15, is the IQ of his class significantly different from normal students? ($\alpha=0.05$) (10%)

10. One hospital president wants to investigate if the hospital should arrange the inpatient rooms by gender, so he surveys 100 patients about their opinions (either 「agree」 or 「disagree」), and the preliminary result is as follows:

Opinion \ Gender	Agree	Disagree	Summary
Male	44	16	60
Female	16	24	40
Summary	60	40	100


Please answer if patient opinion is associated with gender difference? ($\alpha=0.05$) (10%)

STANDARD STATISTICAL TABLES

1. Areas under the Normal Distribution

The table gives the cumulative probability up to the standardised normal value z i.e.

$$P[Z < z] = \int_{-\infty}^z \frac{1}{\sqrt{2\pi}} \exp(-\frac{1}{2}z^2) dz$$



z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.5000	0.5040	0.5080	0.5120	0.5159	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7854
0.8	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8804	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
1.9	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9756	0.9761	0.9767
2.0	0.9773	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
2.2	0.9861	0.9865	0.9868	0.9871	0.9874	0.9878	0.9881	0.9884	0.9887	0.9890
2.3	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9911	0.9913	0.9916
2.4	0.9918	0.9920	0.9922	0.9924	0.9927	0.9929	0.9931	0.9932	0.9934	0.9936
2.5	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0.9948	0.9949	0.9951	0.9952
2.6	0.9953	0.9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9964
2.7	0.9965	0.9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
2.8	0.9974	0.9975	0.9976	0.9977	0.9977	0.9978	0.9979	0.9980	0.9980	0.9981
2.9	0.9981	0.9982	0.9982	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
z	3.00	3.10	3.20	3.30	3.40	3.50	3.60	3.70	3.80	3.90
P	0.9986	0.9990	0.9993	0.9995	0.9997	0.9998	0.9998	0.9999	0.9999	1.0000




TABLE B: t -DISTRIBUTION CRITICAL VALUES

df	Tail probability p										
	.25	.20	.15	.10	.05	.025	.02	.01	.005	.0025	.001
1	1.000	1.376	1.963	3.078	6.314	12.71	15.89	31.82	63.66	127.3	636.6
2	.816	1.061	1.386	1.886	2.920	4.303	4.849	6.965	9.925	14.09	22.33
3	.765	.978	1.250	1.638	2.353	3.182	3.482	4.541	5.841	7.453	10.21
4	.741	.941	1.190	1.533	2.132	2.776	2.999	3.747	4.604	5.598	7.173
5	.727	.920	1.156	1.476	2.015	2.571	2.757	3.365	4.032	4.773	5.893
6	.718	.906	1.134	1.440	1.943	2.447	2.612	3.143	3.707	4.317	5.208
7	.711	.896	1.119	1.415	1.895	2.365	2.517	2.998	3.499	4.029	4.785
8	.706	.889	1.108	1.397	1.860	2.306	2.449	2.896	3.355	3.833	4.501
9	.703	.883	1.100	1.383	1.833	2.262	2.398	2.821	3.250	3.690	4.297
10	.700	.879	1.093	1.372	1.812	2.228	2.359	2.764	3.169	3.581	4.144
11	.697	.876	1.088	1.363	1.796	2.201	2.328	2.718	3.106	3.497	4.025
12	.695	.873	1.083	1.356	1.782	2.179	2.303	2.681	3.055	3.428	3.930
13	.694	.870	1.079	1.350	1.771	2.160	2.282	2.650	3.012	3.372	3.852
14	.692	.868	1.076	1.345	1.761	2.145	2.264	2.624	2.977	3.326	3.787
15	.691	.866	1.074	1.341	1.753	2.131	2.249	2.602	2.947	3.286	3.733
16	.690	.865	1.071	1.337	1.746	2.120	2.235	2.583	2.921	3.252	3.686
17	.689	.863	1.069	1.333	1.740	2.110	2.224	2.567	2.898	3.222	3.646
18	.688	.862	1.067	1.330	1.734	2.101	2.214	2.552	2.878	3.197	3.611
19	.688	.861	1.066	1.328	1.729	2.093	2.205	2.539	2.861	3.174	3.579
20	.687	.860	1.064	1.325	1.725	2.086	2.197	2.528	2.845	3.153	3.552
21	.686	.859	1.063	1.323	1.721	2.080	2.189	2.518	2.831	3.135	3.527
22	.686	.858	1.061	1.321	1.717	2.074	2.183	2.508	2.819	3.119	3.505
23	.685	.858	1.060	1.319	1.714	2.069	2.177	2.500	2.807	3.104	3.485
24	.685	.857	1.059	1.318	1.711	2.064	2.172	2.492	2.797	3.091	3.467
25	.684	.856	1.058	1.316	1.708	2.060	2.167	2.485	2.787	3.078	3.450
26	.684	.856	1.058	1.315	1.706	2.056	2.162	2.479	2.779	3.067	3.435
27	.684	.855	1.057	1.314	1.703	2.052	2.158	2.473	2.771	3.057	3.421
28	.683	.855	1.056	1.313	1.701	2.048	2.154	2.467	2.763	3.047	3.408
29	.683	.854	1.055	1.311	1.699	2.045	2.150	2.462	2.756	3.038	3.396
30	.683	.854	1.055	1.310	1.697	2.042	2.147	2.457	2.750	3.030	3.385
40	.681	.851	1.050	1.303	1.684	2.021	2.123	2.423	2.704	2.971	3.307
50	.679	.849	1.047	1.299	1.676	2.009	2.109	2.403	2.678	2.937	3.261
60	.679	.848	1.045	1.296	1.671	2.000	2.099	2.390	2.660	2.915	3.232
80	.678	.846	1.043	1.292	1.664	1.990	2.088	2.374	2.639	2.887	3.195
100	.677	.845	1.042	1.290	1.660	1.984	2.081	2.364	2.626	2.871	3.174
1000	.675	.842	1.037	1.282	1.646	1.962	2.056	2.330	2.581	2.813	3.098
∞	.674	.841	1.036	1.282	1.645	1.960	2.054	2.326	2.576	2.807	3.091
	50%	60%	70%	80%	90%	95%	96%	98%	99%	99.5%	99.9%
	Confidence level C										

χ^2 CRITICAL VALUES




TABLE C: χ^2 CRITICAL VALUES

df	Tail probability p										
	.25	.20	.15	.10	.05	.025	.02	.01	.005	.0025	.001
1	1.32	1.64	2.07	2.71	3.84	5.02	5.41	6.63	7.88	9.14	10.83
2	2.77	3.22	3.79	4.61	5.99	7.38	7.82	9.21	10.60	11.98	13.82
3	4.11	4.64	5.32	6.25	7.81	9.35	9.84	11.34	12.84	14.32	16.27
4	5.39	5.99	6.74	7.78	9.49	11.14	11.67	13.28	14.86	16.42	18.47
5	6.63	7.29	8.12	9.24	11.07	12.83	13.39	15.09	16.75	18.39	20.51
6	7.84	8.56	9.45	10.64	12.59	14.45	15.03	16.81	18.55	20.25	22.46
7	9.04	9.80	10.75	12.02	14.07	16.01	16.62	18.48	20.28	22.04	24.32
8	10.22	11.03	12.03	13.36	15.51	17.53	18.17	20.09	21.95	23.77	26.12
9	11.39	12.24	13.29	14.68	16.92	19.02	19.68	21.67	23.59	25.46	27.88
10	12.55	13.44	14.53	15.99	18.31	20.48	21.16	23.21	25.19	27.11	29.59
11	13.70	14.63	15.77	17.28	19.68	21.92	22.62	24.72	26.76	28.73	31.26
12	14.85	15.81	16.99	18.55	21.03	23.34	24.05	26.22	28.30	30.32	32.91
13	15.98	16.98	18.20	19.81	22.36	24.74	25.47	27.69	29.82	31.88	34.53
14	17.12	18.15	19.41	21.06	23.68	26.12	26.87	29.14	31.32	33.43	36.12
15	18.25	19.31	20.60	22.31	25.00	27.49	28.26	30.58	32.80	34.95	37.70
16	19.37	20.47	21.79	23.54	26.30	28.85	29.63	32.00	34.27	36.46	39.25
17	20.49	21.61	22.98	24.77	27.59	30.19	31.00	33.41	35.72	37.95	40.79
18	21.60	22.76	24.16	25.99	28.87	31.53	32.35	34.81	37.16	39.42	42.31
19	22.72	23.90	25.33	27.20	30.14	32.85	33.69	36.19	38.58	40.88	43.82
20	23.83	25.04	26.50	28.41	31.41	34.17	35.02	37.57	40.00	42.34	45.31
21	24.93	26.17	27.66	29.62	32.67	35.48	36.34	38.93	41.40	43.78	46.80
22	26.04	27.30	28.82	30.81	33.92	36.78	37.66	40.29	42.80	45.20	48.27
23	27.14	28.43	29.98	32.01	35.17	38.08	38.97	41.64	44.18	46.62	49.73
24	28.24	29.55	31.13	33.20	36.42	39.36	40.27	42.98	45.56	48.03	51.18
25	29.34	30.68	32.28	34.38	37.65	40.65	41.57	44.31	46.93	49.44	52.62
26	30.43	31.79	33.43	35.56	38.89	41.92	42.86	45.64	48.29	50.83	54.05
27	31.53	32.91	34.57	36.74	40.11	43.19	44.14	46.96	49.64	52.22	55.48
28	32.62	34.03	35.71	37.92	41.34	44.46	45.42	48.28	50.99	53.59	56.89
29	33.71	35.14	36.85	39.09	42.56	45.72	46.69	49.59	52.34	54.97	58.30
30	34.80	36.25	37.99	40.26	43.77	46.98	47.96	50.89	53.67	56.33	59.70
40	45.62	47.27	49.24	51.81	55.76	59.34	60.44	63.69	66.77	69.70	73.40
50	56.33	58.16	60.35	63.17	67.50	71.42	72.61	76.15	79.49	82.66	86.66
60	66.98	68.97	71.34	74.40	79.08	83.30	84.58	88.38	91.95	95.34	99.61
80	88.13	90.41	93.11	96.58	101.9	106.6	108.1	112.3	116.3	120.1	124.8
100	109.1	111.7	114.7	118.5	124.3	129.6	131.1	135.8	140.2	144.3	149.4